§ 573.200

- (1)(i) The food additive anhydrous ammonia is applied as a component of an aqueous premix containing 16 to 17 percent ammonia, with molasses, minerals, and not less than 83 percent crude protein. The premix is a source of nonprotein nitrogen and minerals.
- (ii) In addition to the requirements of paragraph (b) of this section, the labeling shall bear an expiration date of not more than 10 weeks after date of manufacture; a statement that additional protein should not be fed to lactating dairy cows producing less than 32 pounds of milk per day nor beef cattle consuming less than 1 percent of body weight daily in shelled corn; and a warning not to use additional trace mineral supplementation with treated silage.
- (2)(i) The food additive anhydrous ammonia is applied directly to corn plant material for use in dairy or beef cattle rations.
- (ii) The anhydrous ammonia is applied at a rate not to exceed the equivalent of 0.35 percent of the corn plant material.
- (iii) It is applied to corn plant material containing 30 to 35 percent dry matter.
- (iv) It is applied so that 75 to 85 percent of the additive is liquid at ambient pressure.
- (3)(i) The food additive anhydrous ammonia is applied after being diluted to a 15 to 30 percent aqueous ammonia solution (by weight).
- (ii) The anhydrous ammonia solution is applied at a rate not to exceed anhydrous ammonia equivalent to 0.3 percent of the corn plant material.
- (iii) It is applied to corn plant material containing 28 to 38 percent dry matter.
- (iv) The silage treated with aqueous ammonia is to be fed to dairy cattle only.
- (b) Its labeling shall bear, in addition to the other requirements of the act, the name of the additive, the concentration of ammonia, the maximum percentage of equivalent crude protein from nonprotein nitrogen, and directions for use consistent with this section

[44 FR 40284, July 10, 1979]

§ 573.200 Condensed animal protein hydrolysate.

- (a) *Identity.* The condensed animal protein hydrolysate is produced from the meat byproducts scraped from cured (salted) hides taken from cattle slaughtered for food consumption. The meat byproduct is hydrolyzed with heat and phosphoric acid.
- (b) *Specifications*. The additive shall conform to the following percent-by-weight specifications:

Moisture, not less than 45 percent nor more than 50 percent.

Protein, not less than 24 percent. Salt (NaCl), not more than 15 percent. Phosphorus, not less than 2.25 percent.

- (c) *Uses.* It is used or intended for use as a source of animal protein, phosphorus, and salt (NaCl) as follows:
- (1) In poultry and swine feed in an amount not to exceed 5 percent by weight of the feed.
- (2) In feed concentrates for cattle in an amount not to exceed 10 percent by weight of the concentrate.
- (d) *Labeling*. The label and labeling shall bear, in addition to the other information required by the act:
- (1) The name of the additive, condensed animal protein hydrolysate.
- (2) Adequate directions for use including maximum quantities permitted for each species and a guaranteed analysis of the additive.

$\S 573.220$ Feed-grade biuret.

The food additive feed grade biuret may be safely used in ruminant feed in accordance with the following prescribed conditions:

(a) The food additive is the product resulting from the controlled pyrolysis of urea conforming to the following specifications:

	Percent
Biuret Urea Cyanuric acid and triuret Mineral oil Total nitrogen (equivalent to 218.75 pct crude protein).	55 minimum. 15 maximum. 30 maximum. 0.5 maximum. 35 minimum.

- (b) It is used in ruminant feeds as a source of nonprotein nitrogen.
 - (c) To assure safe use of the additive:
- (1) The label and labeling of the additive and that of any feed additive supplement, feed additive concentrate,